SWC 520, Institutional Cleaning Products, & Misc Household Supplies
Lines to be Added to the SWC
03/14/08

Line 00080 QTY UOM
COMMODITY CODE: 485-12-000000 1 CS
CLEANER/DEGREASER, ALL PURPOSE, GREENSEAL CERTIFIED, CONCENTRATE. WITH HYDROGEN PEROXIDE. FOR USE ON ALL WASHABLE SURFACES, SPRING RAIN, CITRUS OR OTHER FRAGRANCE. NON-FLAMMABLE, PH (CONCENTRATE: 1.0 TO 3.0, 2 L1TER CO, 4/CS.

VENDOR SHALL SUPPLY READY-TO-USE PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN CLEAN ON THE GO CLEAN BY PEROXY #15,
JOHNSON WAX PROFESSIONAL ALPHA-HP MULTI-SURFACE CLEANER, OR EQUAL

BRAND/MODEL BID: _____

LIST FRAGRANCE: _____

PACKAGING _____ OZ/CO _____ CO/CS

USE DILUTION*_____OZ/GAL. RATIO_____
*DILUTION FOR LIGHT DUTY CLEANING

COST PER OZ: _____

Line 00081 QTY UOM
COMMODITY CODE: 485-12-000000 1 CS
CLEANER/DEGREASER, ALL PURPOSE, GREENSEAL CERTIFIED, CONCENTRATE. WITH HYDROGEN PEROXIDE. FOR USE ON ALL WASHABLE SURFACES, SPRING RAIN, CITRUS OR OTHER FRAGRANCE. NON-FLAMMABLE, PH (CONCENTRATE: 1.0 TO 3.0, 1 GALLON CONTAINER, 4/CS.

VENDOR SHALL SUPPLY READY-TO-USE PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN CLEAN ON THE GO CLEAN BY PEROXY #15,
JOHNSON WAX PROFESSIONAL ALPHA-HP MULTI-SURFACE CLEANER, OR EQUAL

BRAND/MODEL BID: _____

LIST FRAGRANCE: _____

PACKAGING _____ OZ/CO _____ CO/CS

USE DILUTION*_____OZ/GAL. RATIO_____
*DILUTION FOR LIGHT DUTY CLEANING

COST PER OZ: _____

Line 00082 QTY UOM
COMMODITY CODE: 485-12-000000 1 CO
CLEANER/DEGREASER, ALL PURPOSE, GREENSEAL CERTIFIED, CONCENTRATE. WITH HYDROGEN PEROXIDE. FOR USE ON ALL WASHABLE SURFACES, SPRING RAIN, CITRUS OR OTHER FRAGRANCE. NON-FLAMMABLE, PH (CONCENTRATE: 1.0 TO 3.0, 5 GALLON CONTAINER

VENDOR SHALL SUPPLY READY-TO-USE PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN CLEAN ON THE GO CLEAN BY PEROXY #15,
JOHNSON WAX PROFESSIONAL ALPHA-HP MULTI-SURFACE CLEANER, OR EQUAL

BRAND/MODEL BID: _____

LIST FRAGRANCE: _____

USE DILUTION*_____OZ/GAL. RATIO_____
*DILUTION FOR LIGHT DUTY CLEANING

COST PER OZ: _____

Line 00083 QTY UOM
COMMODITY CODE: 485-12-000000 1 DR
CLEANER/DEGREASER, ALL PURPOSE, GREENSEAL CERTIFIED, CONCENTRATE. WITH HYDROGEN PEROXIDE. FOR USE ON ALL WASHABLE SURFACES, SPRING RAIN, CITRUS OR OTHER FRAGRANCE. NON-FLAMMABLE, PH (CONCENTRATE: 1.0 TO 3.0, 55 GALLON DRUM

VENDOR SHALL SUPPLY READY-TO-USE PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN CLEAN ON THE GO CLEAN BY PEROXY #15,

JOHNSON WAX PROFESSIONAL ALPHA-HP
MULTI-SURFACE CLEANER, OR EQUAL

BRAND/MODEL BID: _____

LIST FRAGRANCE: _____

USE DILUTION*_____OZ/GAL. RATIO_____
*DILUTION FOR LIGHT DUTY CLEANING

COST PER OZ: _____

Line 00084 QTY UOM
COMMODITY CODE: 485-05-000000 1 EA
DILUTION PUMP CHEMICAL MANAGEMENT SYSTEM, WALL MOUNTED WITH LOCKING CABINET. ACTION-GAP MODEL, SHALL HOLD A MINIMUM OF ONE GALLON OR 2 LITER CONTAINER, AND DISPENSE AT HIGH AND LOW FLOW RATES FROM ONE GALLONG JUGS, FIVE GALLON AND LARGER CONTAINERS AND INTO SPRAY BOTTLES AND MOP BUCKETS. DISPENSER SHALL BE PRE-SET FOR APPROPRIATE DILUTIONS OF PRODUCT BID ON LINES 00080-00083 AND COME WITH APPLICATION STICKERS FOR PRODUCT IDENTIFICATION.

ACCEPTABLE BRANDS/MODELS:
SPARTAN CLEAN BY PEROXY CHEMICAL MANAGEMENT SYSTEM # 9421 AND CABINET # 9423,
JOHNSON DIVERSEY JFILL QUATTRO SELECT, OR EQUAL

BRAND/MODEL BID: _____

Line 00085 QTY UOM
COMMODITY CODE: 485-05-000000 1 EA
PORTABLE DISPENSING SYSTEM USED WITH 2 LITER BOTTLE ON LINE 00080. DISPENSER ATTACHES TO TOP OF BOTTLE FOR CLEANING OF WASHABLE SURFACES IN RMOTE LOCATIONS; SHALL HAVE ADJUSTABLE DILUTION RATIOS.

ACCEPTABLE BRANDS/MODELS:
SPARTAN PORTABLE DISPENSING SYSTEM #9258, JOHNSON DIVERSEY RTD, OR EQUAL

BRAND/MODEL BID: _____

LINES 00080-00083:
BRAND/MODEL BID MUST BE CERTIFIED BY
GREENSEAL AND APPEAR ON ITS WEBSITE
WWW.GREENSEAL.ORG UNDER CATEGORY
GS-37 AS OF THE BID OPENING DATE.

LINES 00080-00085:
IF BIDDING AN EQUAL BRAND/MODEL,
PLEASE SUBMIT PRINTED PRODUCT
LITERATURE AND/OR WRITTEN
SPECIFICATIONS FOR BRAND/MODEL BID
AND DILUTION RATIOS FOR LINES
00080-00083 WITH BID.
*********Group Lines 00080-00085*********

Line 00086 QTY UOM
COMMODITY CODE: 485-12-000000 1 CS
CLEANER, GLASS, GREENSEAL CERTIFIED,
CONCENTRATE, NON-FLAMMABLE,
PH (CONCENTRATE) 7.0 TO 9.0,
2 L1TER CO, 4/CS.

VENDOR SHALL SUPPLY READY-TO-USE
PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS GLASS
CLEANER,
JOHNSON WAX PROFESSIONAL GLANCE
NON-AMMONIATED GLASS CLEANER,
OR EQUAL

BRAND/MODEL BID: _____

PACKAGING _____ OZ/CO _____ CO/CS

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00087 QTY UOM
COMMODITY CODE: 485-12-000000 1 CS
CLEANER, GLASS, GREENSEAL CERTIFIED,
CONCENTRATE, NON-FLAMMABLE,
PH (CONCENTRATE) 7.0 TO 9.0,
1 GALLON CONTAINER, 4/CS.

VENDOR SHALL SUPPLY READY-TO-USE
PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS GLASS
CLEANER,

JOHNSON WAX PROFESSIONAL GLANCE
NON-AMMONIATED GLASS CLEANER,
OR EQUAL

BRAND/MODEL BID: _____

PACKAGING _____ OZ/CO _____ CO/CS

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00088 QTY UOM
COMMODITY CODE: 485-12-000000 1 CO
CLEANER, GLASS, GREENSEAL CERTIFIED,
CONCENTRATE, NON-FLAMMABLE,
PH (CONCENTRATE) 7.0 TO 9.0,
5 GALLON CONTAINER

VENDOR SHALL SUPPLY READY-TO-USE
PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS GLASS
CLEANER,
JOHNSON WAX PROFESSIONAL GLANCE
NON-AMMONIATED GLASS CLEANER,
OR EQUAL

BRAND/MODEL BID: _____

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00089 QTY UOM
COMMODITY CODE: 485-12-000000 1 DR
CLEANER, GLASS, GREENSEAL CERTIFIED,
CONCENTRATE, NON-FLAMMABLE,
PH (CONCENTRATE) 7.0 TO 9.0,
55 GALLON DRUM

VENDOR SHALL SUPPLY READY-TO-USE
PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS GLASS
CLEANER,
JOHNSON WAX PROFESSIONAL GLANCE
NON-AMMONIATED GLASS CLEANER,
OR EQUAL

BRAND/MODEL BID: _____

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00090 QTY UOM
COMMODITY CODE: 485-05-000000 1 EA
DILUTION PUMP CHEMICAL MANAGEMENT SYSTEM, WALL MOUNTED WITH LOCKING CABINET THAT HOLDS A MINIMUM OF ONE TRIGGER SPRAY BOTTLE AND SHALL DISPENSE FROM 1 GALLON JUGS, 5 GALLON OR LARGER CONTAINERS AND INTO TRIGGER SPRAY BOTTLES AND MOP BUCKETS. DISPENSER SHALL BE ABLE TO FILL UP TO THREE DIFFERENT HIGH FLOW PRODUCTS AND A CLEAR RINSE AND DISPENSE UP TO FOUR LOW FLOW PRODUCTS AT FULL CAPACITY.

ACCEPTABLE BRANDS/MODELS:
SPARTAN CLEAN ON THE GO LOCK & DIAL #9050,
JOHNSON DIVERSEY JFILL QUATTRO SELECT, OR EQUAL

BRAND/MODEL BID: _____

Line 00091 QTY UOM
COMMODITY CODE: 485-05-000000 1 EA
PORTABLE DISPENSING SYSTEM USED WITH 2 LITER BOTTLE ON LINE 00086. DISPENSER ATTACHES TO TOP OF BOTTLE FOR CLEANING OF WASHABLE SURFACES IN RMOTE LOCATIONS; SHALL HAVE ADJUSTABLE DILUTION RATIOS.

ACCEPTABLE BRANDS/MODELS:
SPARTAN PORTABLE DISPENSING SYSTEM #9258, JOHNSON DIVERSEY RTD, OR EQUAL

BRAND/MODEL BID: _____

LINES 00086-00089:
BRAND/MODEL BID MUST BE CERTIFIED BY GREENSEAL AND APPEAR ON ITS WEBSITE WWW.GREENSEAL.ORG UNDER CATEGORY GS-37 AS OF THE BID OPENING DATE.

LINES 00086-00091:
IF BIDDING AN EQUAL BRAND/MODEL, PLEASE SUBMIT PRINTED PRODUCT LITERATURE AND/OR WRITTEN SPECIFICATIONS FOR BRAND/MODEL BID AND DILUTION RATIOS FOR LINES 00086-00089 WITH BID.
*********Group Lines 00086-00091*********

Line 00092 QTY UOM
COMMODITY CODE: 485-12-000000 1 CS
CLEANER, RESTROOM, GREENSEAL
CERTIFIED, READY TO USE. SHALL CLEAN
BASINS, TOILET BOWLS, URINALS,
SHOWERS & MOST RESTROOM SURFACES.
NATURAL CITRIC ACID: MAX 8% ,
PH: 1.0 – 3.0, 1 QT CO, 12/CS

EACH QUART IS TO BE EQUIPPED WITH A
FLIP-TOP DISPENSING CAP AND EACH CASE
IS TO INCLUDE 1 PAIR OF GLOVES AND ONE
FOAM TRIGGER SPRAYER.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS RESTROOM
CLEANER, OR EQUAL

BRAND/MODEL BID: _____

BRAND/MODEL BID MUST BE CERTIFIED BY
GREENSEAL AND APPEAR ON ITS WEBSITE
WWW.GREENSEAL.ORG UNDER CATEGORY
GS-37 AS OF THE BID OPENING DATE.

IF BIDDING AN EQUAL BRAND/MODEL,
PLEASE SUBMIT PRINTED PRODUCT
LITERATURE AND/OR WRITTEN
SPECIFICATIONS FOR BRAND/MODEL BID.

THIS IS A LINE ITEM AWARD

Line 00093 QTY UOM
COMMODITY CODE: 485-12-000000 1 CS
CLEANER, CARPET, GREENSEAL CERTIFIED,
CONCENTRATE. LOW FOAMING; NON-
CORROSIVE AND NON-FLAMMABLE,
PH: (CONCENTRATE): 8.0 TO 9.0,
SHALL BE APPLIED WITH CARPET PILE
BRUSH OR SHAG RAKE AND DRY TO A
CRYSTAL THAT IS REMOVED WITH A
VACUUM CLEANER, 2 L1TER CO, 4/CS

VENDOR SHALL SUPPLY READY-TO-USE
PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS CARPET
CLEANER, OR EQUAL

BRAND/MODEL BID: _____

PACKAGING _____ OZ/CO _____ CO/CS

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00094 QTY UOM
COMMODITY CODE: 485-54-000000 1 CS
CLEANER, CARPET, GREENSEAL CERTIFIED,
CONCENTRATE. LOW FOAMING; NON-
CORROSIVE AND NON-FLAMMABLE,
PH: (CONCENTRATE): 8.0 TO 9.0,
SHALL BE APPLIED WITH CARPET PILE
BRUSH OR SHAG RAKE AND DRY TO A
CRYSTAL THAT IS REMOVED WITH A
VACUUM CLEANER, 1 GALLON CO, 4/CS

VENDOR SHALL SUPPLY READY-TO-USE
PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS CARPET
CLEANER, OR EQUAL

BRAND/MODEL BID: _____

PACKAGING _____ OZ/CO _____ CO/CS

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00095 QTY UOM
COMMODITY CODE: 485-54-000000 1 CO
CLEANER, CARPET, GREENSEAL CERTIFIED,
CONCENTRATE. LOW FOAMING; NON-
CORROSIVE AND NON-FLAMMABLE,
PH: (CONCENTRATE): 8.0 TO 9.0,
SHALL BE APPLIED WITH CARPET PILE
BRUSH OR SHAG RAKE AND DRY TO A
CRYSTAL THAT IS REMOVED WITH A
VACUUM CLEANER, 5 GALLON CONTAINER

VENDOR SHALL SUPPLY READY-TO-USE
PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS CARPET
CLEANER, OR EQUAL

BRAND/MODEL BID: _____

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00096 QTY UOM

COMMODITY CODE: 485-54-000000 1 DR

CLEANER, CARPET, GREENSEAL CERTIFIED, CONCENTRATE. LOW FOAMING; NON-CORROSIVE AND NON-FLAMMABLE, PH: (CONCENTRATE): 8.0 TO 9.0, SHALL BE APPLIED WITH CARPET PILE BRUSH OR SHAG RAKE AND DRY TO A CRYSTAL THAT IS REMOVED WITH A VACUUM CLEANER, 55 GALLON DRUM

VENDOR SHALL SUPPLY READY-TO-USE PRODUCT LABELS UPON REQUEST.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS CARPET CLEANER, OR EQUAL

BRAND/MODEL BID: _____

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00097 QTY UOM

COMMODITY CODE: 485-05-000000 1 EA

DILUTION PUMP PORTABLE OR FIXED CHEMICAL MANAGEMENT SYSTEM, SHALL DISPENSE DILUTED PRODUCT FROM 2 LITER BOTTLES, 1 GALLON JUGS, 5 GALLON OR LARGER CONTAINERS INTO TRIGGER SPRAY BOTTLES AND MOP BUCKETS AT UP TO 3.5 GALLONS PER MINUTE, WITH ADJUSTABLE DILUTION RATIOS.

ACCEPTABLE BRANDS/MODELS:
SPARTAN CLEAN ON THE GO 3.5 GPM HIGH FLOW DISPENSER #9159, OR EQUAL

BRAND/MODEL BID: _____

Line 00098 QTY UOM

COMMODITY CODE: 485-05-000000 1 EA

PORTABLE DISPENSING SYSTEM USED WITH 2 LITER BOTTLE ON LINE 00091. DISPENSER ATTACHES TO TOP OF BOTTLE FOR CLEANING OF WASHABLE SURFACES IN RMOTE LOCATIONS; SHALL HAVE ADJUSTABLE DILUTION RATIOS.

ACCEPTABLE BRANDS/MODELS:
SPARTAN PORTABLE DISPENSING SYSTEM #9258, OR EQUAL

BRAND/MODEL BID: _____

LINES 00093-00096:
BRAND/MODEL BID MUST BE CERTIFIED BY GREENSEAL AND APPEAR ON ITS WEBSITE WWW.GREENSEAL.ORG UNDER CATEGORY GS-37 AS OF THE BID OPENING DATE.

LINES 00093-00098:
IF BIDDING AN EQUAL BRAND/MODEL, PLEASE SUBMIT PRINTED PRODUCT LITERATURE AND/OR WRITTEN SPECIFICATIONS FOR BRAND/MODEL BID AND DILUTION RATIOS FOR LINES 00093-00096 WITH BID.
*********Group Lines 00093-00098*********

Line 00099 QTY 1 UOM PK

COMMODITY CODE: 485-54-000000
CLEANER/EXTRACTOR, CARPET, GREENSEAL CERTIFIED WITH PORTABLE DISPENSING SYSTEM, CONCENTRATE, NON-FLAMMABLE, FLORAL FRUITY OR OTHER FRAGRANCE, PH: (CONCENTRATE): 8.0 TO 9.0. SHALL SPRAY CARPET, ALLOW TO SET FOR 10 MINUTES, USE SHAMPOO BRUSH OR CARPET RAKE, ALLOW TO DRY THEN USE TO EXTRACT CARPET. TWO 1.5 L1TER PORTABLE DISPENSING UNITS/PACK

ACCEPTABLE BRANDS/MODELS:
JOHNSON WAX PROFESSIONAL HEAVY DUTY PRESPRAY PLUS WITH RTD DISPENSER, OR EQUAL

BRAND/MODEL BID: _____

FRAGRANCE: _____

PACKAGING _____ OZ/CO _____ CO/CS

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00100 QTY 1 UOM CS

COMMODITY CODE: 485-38-000000
STRIPPER, FLOOR FINISH, GREENSEAL CERTIFIED, CONCENTRATE, NON-FLAMMABLE, PH (CONCENTRATE): 7.0 TO 14.0. SHALL APPLY WITH MOP OR APPLICATOR, MACHINE SCRUB TO REMOVE OLD FLOOR FINISH. 1 GALLON, 4/CS.

ACCEPTABLE BRANDS/MODELS:

SPARTAN GREEN SOLUTIONS FLOOR FINISH
REMOVER,
OR EQUAL

BRAND/MODEL BID: _____

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

Line 00101 QTY UOM
COMMODITY CODE: 485-38-000000 1 CO
STRIPPER, FLOOR FINISH, GREENSEAL
CERTIFIED, CONCENTRATE, NON-
FLAMMABLE, PH (CONCENTRATE):
7.0 TO 13.7. SHALL APPLY WITH MOP OR
APPLICATOR, MACHINE SCRUB TO REMOVE
OLD FLOOR FINISH. 5 GALLON CONTAINER

ACCEPTABLE BRANDS/MODELS:
SPARTAN GREEN SOLUTIONS FLOOR FINISH
REMOVER,
JOHNSON WAX FREEDOM SC FLOOR
STRIPPER, OR EQUAL

BRAND/MODEL BID: _____

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

LINES 00100-00101:
BRAND/MODEL BID MUST BE CERTIFIED BY
GREENSEAL AND APPEAR ON ITS WEBSITE
WWW.GREENSEAL.ORG UNDER CATEGORY
GS-40 AS OF THE BID OPENING DATE.

AND

IF BIDDING AN EQUAL BRAND/MODEL,
PLEASE SUBMIT PRINTED PRODUCT
LITERATURE AND/OR WRITTEN
SPECIFICATIONS FOR BRAND/MODEL BID
WITH DILUTION RATIO WITH BID.
*********Group Lines 00100-00101*********

Line 00102 QTY UOM
COMMODITY CODE: 505-14-000000 1 CO
BLEACH, POWDERED, GREENSEAL CERTIFIED
CONCENTRATE. OXYGENATED, INGREDIENT:
SODIUM PERCARBONATE, 2.5 LB BAG

ACCEPTABLE BRANDS/MODELS:
OXY-CLEAN POWDERED BLEACH,

OR EQUAL

BRAND/MODEL BID: _____

USE DILUTION_____OZ/GAL. RATIO_____

COST PER OZ: _____

BRAND/MODEL BID MUST BE CERTIFIED BY GREENSEAL AND APPEAR ON ITS WEBSITE WWW.GREENSEAL.ORG UNDER CATEGORY GS-37 AS OF THE BID OPENING DATE.

AND

IF BIDDING AN EQUAL BRAND/MODEL, PLEASE SUBMIT PRINTED PRODUCT LITERATURE AND/OR WRITTEN SPECIFICATIONS FOR BRAND/MODEL BID WITH DILUTION RATIO WITH BID.

THIS IS A LINE ITEM AWARD

Line 00103	QTY	UOM
COMMODITY CODE: 485-12-000000	1	CS

GRAFFITI REMOVER, BIOBASED APPROVED, READY TO USE, SHALL CONTAIN A MINIMUM OF 53% BIORENEWABLE SOLVENTS SUCH AS SOY & CORN. SPRAY THE AREA, WAIT 5 MINUTES AND RINSE TO REMOVE PAINT, MARKER, INK, CRAYON AND PENCIL, SCUFF MARKS, WAX RESIDUE AND ADHESIVES WHILE CLEANING SUCH SURFACES AS GLAZED TILE, FIBERGLASS, UN-LAQUERED METAL, MARBLE, CHROME, ALUMINUM, GLASS, FORMICA, PORCELAIN & STAINLESS STEEL. 1 QT CO, 12/CS.

ACCEPTABLE BRANDS/MODELS:
SPARTAN GRAFFITI REMOVER SAC, OR EQUAL

BRAND/MODEL BID: _____

BRAND/MODEL BID MUST HAVE THE BIOBASED SEAL. IF BIDDING AN EQUAL BRAND/MODEL, BIDDER SHALL SUBMIT PRODUCT LITERATURE AND/OR WRITTEN SPECIFICATIONS WITH BID.

THIS IS A LINE ITEM AWARD

Line 00104 QTY UOM
COMMODITY CODE: 485-12-000000 1 CO
CLEANER, DEGREASER, BIOBASED APPROVED. READY TO USE, PRODUCT SHALL CONTAIN A MINIMUM OF 53% BIORENEWABLE SOLVENTS SUCH AS SOYBEAN OIL. SHALL REMOVE GREASE, DIRT, TAR, INKS, MOST ADHESIVES AND OIL FROM METAL, CONCRETE, CERAMIC TILE & BRICK. SHALL BE USED FOR GENERAL CLEANING AND DEGREASING AND ENGINES & MACHINERY. 5 GAL CO.

ACCEPTABLE BRANDS/MODELS:
SPARTAN BIORENEWABLES INDUSTRIAL DEGREASER, OR EQUAL

BRAND/MODEL BID: _____

BRAND/MODEL BID MUST HAVE THE BIOBASED SEAL. IF BIDDING AN EQUAL BRAND/MODEL, BIDDER SHALL SUBMIT PRODUCT LITERATURE AND/OR WRITTEN SPECIFICATIONS WITH BID.

THIS IS A LINE ITEM AWARD

Line 00105 QTY UOM
COMMODITY CODE: 485-10-000000 1 CS
CLEANER, HAND, BIOBASED APPROVED, WATERLESS WITH PUMICE & ALOE VERA, CAN BE USED WET OR DRY. PRODUCT SHALL CONTAIN A MINIMUM OF 80% BIORENEWABLE MATERIAL SUCH AS SOYBEAN OIL. PH: 7.0 TO 8.0,
4.5 LB TUB, 6/CS

ACCEPTABLE BRANDS/MODELS:
SPARTAN SOYSTRONG WATERLESS PLUS, OR EQUAL

BRAND/MODEL BID: _____

Line 00106 QTY UOM
COMMODITY CODE: 485-10-000000 1 EA
DISPENSER FOR WATERLESS HAND CLEANER, MUST BE COMPATIBLE WITH PRODUCT BID ON LINE 00105. PLASTIC, WALL MOUNTED.

ACCEPTABLE BRANDS/MODELS:
SPARTAN HAND CLEANER DISPENSER #9955, OR EQUAL

BRAND/MODEL BID: _____

LINE 00105-00106:
BRAND/MODEL BID ON LINE 00105 MUST
HAVE THE BIOBASED SEAL. IF BIDDING
AN EQUAL BRAND/MODEL, BIDDER SHALL
SUBMIT PRODUCT LITERATURE AND/
OR WRITTEN SPECIFICATIONS WITH BID.
*********Group Lines 00105-00106*********

Line 00107 QTY UOM
COMMODITY CODE: 485-38-000000 1 KT
FINISH, FLOOR, HIGH GLOSS, ULTRA-
DURABLE URETHANE FLOOR FINISH; WILL
MAINTAIN HIGH GLOSS FOR UP 18 MONTHS.
SHALL BE UV RESISTANT AND NON-TOXIC,
PH: 9.0 TO 11.0. UPON APPLICATION, ALLOW
FOUR (4) HOURS TO DRY. NO BURNISHING,
RECOATING OR STRIPPING REQUIRED.
1 GAL KIT COVERS APPROX. 650 SQ FT

**CALL CONTRACT HOLDER TO SCHEDULE
THE FIRST OR SUBSEQENT APPLICATION**

ACCEPTABLE BRANDS/MODELS:
ECOLAB GLOSS TEK 100 #63711315,
OR EQUAL

BRAND/MODEL BID: _____

Line 00108 QTY UOM
COMMODITY CODE: 485-38-000000 1 KT
FINISH, FLOOR, HIGH GLOSS, REPAIR KIT FOR
FOUR (4) HOUR TO DRY HIGH GLOSS FINISH ON
ABOVE LINE. USE TO REPAIR A DAMAGED
PART OF FLOOR. 1 QT KIT

**CALL CONTRACT HOLDER FOR
APPLICATION INSTRUCTIONS OR TO
SCHEDULE REPAIR KIT APPLICATION**

ACCEPTABLE BRANDS/MODELS:
ECOLAB GLOSS TEK 100 #63711009,
OR EQUAL

BRAND/MODEL BID: _____

Line 00109 QTY UOM
COMMODITY CODE: 485-38-000000 1 KT
FINISH, FLOOR, HIGHER GLOSS, ULTRA-
DURABLE URETHANE FLOOR FINISH; WILL
MAINTAIN HIGH GLOSS FOR UP 18 MONTHS.
SHALL BE UV RESISTANT AND NON-TOXIC,
PH: 9.0 TO 11.0. UPON APPLICATION, ALLOW
EIGHT (8) HOURS TO DRY. NO BURNISHING,

RECOATING OR STRIPPING REQUIRED.
1 GAL KIT COVERS APPROX. 650 SQ FT

**CALL CONTRACT HOLDER TO SCHEDULE
THE FIRST OR SUBSEQENT APPLICATION**

ACCEPTABLE BRANDS/MODELS:
ECOLAB GLOSS TEK 400 #63744923,
OR EQUAL

BRAND/MODEL BID: _____

Line 00110 QTY UOM
COMMODITY CODE: 485-38-000000 1 KT
FINISH, FLOOR, HIGHER GLOSS, REPAIR KIT FOR
EIGHT (8) HOUR TO DRY HIGH GLOSS FINISH ON
ABOVE LINE. USE TO REPAIR A DAMAGED
PART OF FLOOR. 1 QT KIT

**CALL CONTRACT HOLDER FOR
APPLICATION INSTRUCTIONS OR TO
SCHEDULE REPAIR KIT APPLICATION**

ACCEPTABLE BRANDS/MODELS:
ECOLAB GLOSS TEK 400 #63742447,
OR EQUAL

BRAND/MODEL BID: _____

Line 00111 QTY UOM
COMMODITY CODE: 485-38-000000 1 CS
STRIPPER, FLOOR, FOR URETHANE FINISH.
PH: 10.0 to 12.0, SHALL APPLY WITH MOP OR
APPLICATOR, MACHINE SCRUB TO REMOVE
OLD URETHANE FINISH. 1 GAL CO, 4/CS

**CALL CONTRACT HOLDER FOR STRIPPING
INSTRUCTIONS OR TO SCHEDULE STRIPPING**

ACCEPTABLE BRANDS/MODELS:
ECOLAB NAPIER 320 URETHANE,
OR EQUAL

BRAND/MODEL BID: _____

Line 00112 QTY UOM
COMMODITY CODE: 485-38-000000 1 CO
STRIPPER, FLOOR, FOR URETHANE FINISH.
PH: 10.0 to 12.0. SHALL APPLY WITH MOP OR
APPLICATOR; MACHINE SCRUB TO REMOVE
OLD URETHANE FINISH. 5 GAL CONTAINER

**CALL CONTRACT HOLDER FOR STRIPPING
INSTRUCTIONS OR TO SCHEDULE STRIPPING**

ACCEPTABLE BRANDS/MODELS:
ECOLAB NAPIER 320 URETHANE,
OR EQUAL

BRAND/MODEL BID: _____

LINES 00107-00112:
IF BIDDING AN EQUAL BRAND/MODEL, PLEASE
SUBMIT PRINTED PRODUCT LITERATURE AND/
OR WRITTEN SPECIFICATIONS WITH BID.
*********Group Lines 00107-00112*********